LOCAL NOTICE TO MARINERS

MAY WEEKLY SUPPLEMENT

NOTICE NUMBER 19-97

May 06, 1997

Issued by: Commander, Seventh Coast Guard District (oan)

Brickell Plaza, Federal Building 909 S.E. 1st Avenue, Miami, Florida 33131-3050 Telephone (305) 536-5621 (Office hours 7:30 a.m. - 4:00 p.m., M-F)

BROADCAST NOTICE TO MARINERS

Navigation information having been of immediate concern to the Mariner, and promulgated by the following broadcasts, has been incorporated in this notice when still effective:

- CCGD7 (D7) BNM 464-97 TO 493-97
- GROUP CHARLESTON (CHA) BNM 180-97 TO 206-97
- GROUP MAYPORT (MAY) BNM 258-97 TO 271-97
- GROUP MIAMI (MIA) BNM 229-97 TO 242-97
- GROUP KEY WEST (KEY) BNM 059-97 TO 059-97
- GROUP ST. PETERSBURG (STP) BNM 284-97 TO 298-97
- SAN JUAN (SJ) BNM 165-97 TO 177-97

NOTES: (1) Unless otherwise indicated, missing and destroyed structures are presumed to be in the immediate vicinity. Mariners should proceed with caution.

- (2) A dark vertical line in the left margin indicates new information.
- (3) The Local Notice to Mariners consists of a Monthly Edition and Weshpplementals. The Monthly Edition should be maintained as a reference. Recurring information is published only once a month.

REFERENCES: Light List, Vol. III, Atlantic and Gulf Coasts, 1996 Edition (COMDTPUB P16502.3).

U.S. Coast Pilot 4, Atlantic Coast: Cape Henry to Key West (31st Edition).

U.S. Coast Pilot 5, Atlantic Coast: Gulf of Mexico, Puerto Rico, and Virgin Islands (26 th Edition).

* * * * * * * * *

REPORT DISCREPANCIES IN AIDS TO NAVIGATION TO THE NEAREST COAST GUARD UNIT

I. SPECIAL NOTICE

Differential Global Positioning System (DGPS) Status.

The Miami DGPS is authorized intermittent off-air time on May 15 and 16, 1997.

The Key West DGPS is authorized intermittent off-air time on May 12 and 13, 1997.

The Egmont Key DGPS is authorized intermittent off-air time on May 19 and 20, 1997.

The Isabella DGPS is authorized to be off-air on May 28, 1997, from 8:00 a.m. to 12 noon.

Ref: LNM 16 and 18-97

LORAN-C PROPOSED OFF-AIR TIMES

The U.S. Coast Guard proposes to authorize:

Loran Station Malone (Rate 7980-M/8970-W) off-air time from 1200Z to 1800Z on May 29, 1997. The alternate time will be from 1200Z to 1800Z on May 30, 1997. Objections will be considered until 1600Z, May 22, 1997. User shall address inquiries to navigation center operations at (703) 313-5875 or 5880.

Loran Station Grangeville (Rate 7980-W/9610-Z) off-air time from 1200Z to 1800Z on June 03, 1997. The alternate time will be from 1200Z to 1800Z on June 04, 1997. Objections will be considered until 1600Z, May 27, 1997. User shall address inquiries to navigation center operations at (703) 313-5875 or 5880.

Loran Station Raymondville (Rate 9610-Y/7980-X) off-air time from 1200Z to 1800Z on June 06, 1997. The alternate time will be from 1200Z to 1800Z on June 07, 1997. Objections will be considered until 1600Z, May 31, 1997. User shall address inquiries to navigation center operations at (703) 313-5875 or 5880.

LORAN-C PROPOSED OFF-AIR TIMES (Cont.)

Current Loran-C status is available 24 hours-a-day through an electronic bulletin board system (BBS) at (703) 313-5910, Baud rate 300 to 28,800, the communications parameters are eight bit work, one stop bit, no parity. Internet address: HTTP://WWW.NAVCEN.USCG.MIL, FTP://FTP.NAVCEN.USCG.MIL

II. NEW DISCREPANCIES-DISCREPANCIES CORRECTED

The following is a partial list of aids that were not watching as advertised in the Light List as of 1:00 a.m. on the date of this Notice and a list of aids previously reported discrepant that have been corrected since the last Local Notice to Mariners. Unless otherwise indicated, missing and destroyed structures are presumed to be in the immediate vicinity. Mariners should proceed with caution. For a complete list of discrepancies and for descriptions of abbreviations see Monthly Local Notice to Mariners 18-97.

FEDERAL AID DISCREPANCIES:

LLNR	AID NAME	DISCREPANCY	CHART BNM	LNM			
01260	LittleRiv Inl DBN	18	TRUB		101	200-97-CHA	19/97
01500	Winyah BayCh LT	` 19	TRLB		11532	0204-97-CHA	19/97
02255	CooperRiv Lower	RFL	LT IMCH		11524	0205-97-CHA	19/97
02420	CooperRiv LT 58		LT EXT		11524	206-97-CHA	19/97
04985	WassawSnd LB 8		ADRIFT		11509	188-97-CHA	19/97
05760	St AndrewsSnd B	5	BUOYDMGD		11504	N/A	19/97
08550	St AugustineInl L7	Γ 5	DBN DEST		11485	270-97-MAY	19/97
11110	SnakeCr LT 2	TRLB		11463	N/A	19/97	
11110 19345	Snake Cr LT 2 Longboat Pass DB		TRUB	11463	N/A 11425	19/97 289-97-STP	19/97
		N 5	TRUB TRLB	11463	,		19/97 19/97
19345	Longboat Pass DB	N 5 B 1	-	11463	11425	289-97-STP	
19345 27445	Longboat Pass DB Puerto Nuevo Ch L	N 5 B 1 EShl LB 6	TRLB	11463	11425 25670	289-97-STP N/A	19/97
19345 27445 28745	Longboat Pass DB Puerto Nuevo Ch L Canal de la Mona	N 5 B 1 EShl LB 6	TRLB LT EXT	11463	11425 25670 25671	289-97-STP N/A N/A	19/97 19/97
19345 27445 28745 31800	Longboat Pass DB Puerto Nuevo Ch L Canal de la Mona Coosaw Riv LT 20	N 5 B 1 EShl LB 6	TRLB LT EXT TRLB	11463	11425 25670 25671 11519	289-97-STP N/A N/A 180-97-CHA	19/97 19/97 19/97
19345 27445 28745 31800 32145	Longboat Pass DB Puerto Nuevo Ch L Canal de la Mona Coosaw Riv LT 20 SkullCr DBN 9A	N 5 B 1 EShl LB 6	TRLB LT EXT TRLB TRUB	11463	11425 25670 25671 11519 11516	289-97-STP N/A N/A 180-97-CHA 197-97-CHA	19/97 19/97 19/97 19/97

53355

FEDERAL DISCREPANCIES CORRECTED:

LLNR	AID NAME STATUSCHART	BNM LNM				
00155	Charleston Nevy Test I D TD	RELIGHTED	11523	193-97-0	CHA 19/97	
00133	Charleston Navy Test LB TB Cape Canaveral LT	RELIGHTED	11323	269-97-N		
02300	CooperRiv Up RRL	RELIGHTED	11524	106-97-0		
	N EdistoRiv In LB 9	RELIGHTED	11524	192-97-0		
03285						
05485	St Simons Snd Ent LB 14	RELIGHTED	11506	260-97-N		
05710		ON STATION	11506	N/A	19/97	4 = 10 =
06475	St JohnsRiv LBB 6	WATCHING P		11491	206-97-MAY	15/97
06730	Blount Is TB LB 42	RELIGHTED	11491	266-97-N		
09555	FishermansCh Art LT 2	WATCHING P		11468	233-97-MIA	19/97
10430	TurtleHbr WShl PreferredCh LT	WATCHING P		11462	240-97-MIA	19/97
13080	Boca Chica LT 56	WATCHING P	ROPERLY	11445	N/A	19/97
14380	Whitewater Bay DBN 23	WATCHING P	ROPERLY	11433	241-97-MIA	19/97
20005	Pt ManateeCh Art LT 2	WATCHING P	ROPERLY	11414	N/A	19/97
20305	Gadsden Pt Cut LB 4	RESET ON STA	ATION	11413	285-97-STP	18/97
20605	Hillsborough Cut Ch LB 18	WATCHING P	ROPERLY	11413	297-97-STP	19/97
20870	Hillsborough Cut DCh LB 35	WATCHING P	ROPERLY	11413	N/A	19/97
27460	Puerto Nuevo Ch LT 3	RELIGHTED	25670	N/A	19/97	
28505	Bahia deGuayanillaEnt RFL	WATCHING P	ROPERLY	25681	N/A	19/97
28510	Bahia deGuayanillaEnt RRL	WATCHING P	ROPERLY	25681	N/A	19/97
33590	MackayRiv LT 245	REBUILT/REC	OVERED	11506	234-97-MAY	17/97
39580	IndianRiv S Sec DBN 91	WATCHING P	ROPERLY	11472	231-97-MIA	19/97
44870	Featherbed Bank LT 6	WATCHING P	ROPERLY	11465	235-97-MIA	19/97
45885	St Lucie Riv LT 11	RELIGHTED	11472	243-97-N	MIA 19/97	
46120	St LucieRiv (S Fork) DBN 24	WATCHING P	ROPERLY	11428	0218-97-MIA	18/97
52670	VeniceInl-Siesta Key DBN 38	WATCHING P	ROPERLY	11425	293-97-STP	19/97
53355	Siesta Key-Tampa Bay LT 17	RELIGHTED	11425	N/A	19/97	
55855	The Narrows LT 2	WATCHING P	ROPERLY	11411	N/A	19/97
55950	The Narrows LT 24	WATCHING P			N/A	19/97
55990	The Narrows DBN 30	WATCHING P			286-97-STP	19/97

PRIVATE AID DISCREPANCIES:

DISCREPANCY CHART BNM LNM LLNR AID NAME

00971 *Redfish Pass LB 1 MISSING 11426 294-97-STP 19/97

PRIVATE DISCREPANCIES CORRECTED:

LLNR AID NAME STATUS CHARTBNM LNM

None.

III. TEMPORARY CHANGES-AIDS ESTABLISHED:

LLNR AID NAME STATUSCHART BNM LNM

1265 LittleRiv Inl DBN 20 DISCON/Dredging11534 199-97-CHA 19-97

TEMPORARY AIDS CORRECTED:

LLNR	AID NAME STATUS	SCHART BNM LNM			
5445	St. Simons Snd Ent LB 6	DISCON/Dredging11506	078-97-MAY	07-97	
5470	St. Simons Snd Ent LB 11	RELOC/Dredging 11506	077-97-MAY	07-97	
5480	St. Simons Snd Ent LBB 13	Changed to LB/RELOC/Dr	edging 11506	076-97-MAY	06-97/07-97

IV. CHART CORRECTIONS

(Explanation of Format)

Corrective action, affecting charts, is contained in this section. Chart corrections are listed numerically by chart number, beginning with the lowest and progressing through all charts affected. The correction listed pertains to that chart only. It is up to the mariner to decide which charts are to be corrected. The following example explains the individual elements of a typical correction.

```
Chart
                   Chart Edition Last Local Notice ReferenceSource ofCurrent Notice
         number
                  edition date
                                    to Mariners
                                                      datum correction
                                                                                 to Mariners
                                                      NAD 83 (CG7) 06/93
11534
         26<sup>th</sup> ed. 12/14/91 Last LNM 41/92
(Temp) Myrtle Grove Sound to Fear River to Casino Creek
                  Boguse Channel Light 1, Fl G 2.5s, 16 ft, 7M
                                                                                          32248'00"N 79215'00"W
                           Object of corrective Position
   Corrective
   action
                           action
```

The letter (M) immediately following the chart number indicates that the correction should be applied to the metric side of the chart only. (Temp) indicates that the chart correction action is temporary in nature. Courses and bearings are given in degrees clockwise from 000 true. Bearings of light sectors are toward the light from seaward. The nominal range of lights is expressed in nautical miles (M).

```
11409 26<sup>th</sup> ed., 04/08/95 LAST LNM 18/97 NAD 83
Anclote Keys to Crystal River
ADD VisibleObstr (20 ft X 15 ft dock) in (PA)

082²50'40.0"W

11425 31<sup>st</sup> ed., 10/05/96 LAST LNM 18/97 NAD 83
Charlotte Harbor to Tampa Bay
ADD (See Buttonwood Harbor Note) in center of Buttonwoble (Side B)

082²38'00.0"W

19/97
(CGD07)
27²22'45.0"N
```

```
ADD NOTE: Buttonwood Harbor

Priv maint daybeacons within this harbor are not charted, due to congestion. (Side B)

082²33'30.0"W
(CGD07)
```

DELETE All Priv maint daybeacons in area bounded by: 27223'08.0"N 082238'08.0"W

```
to 27<sup>2</sup>23'08.0"N 082<sup>2</sup>36'22.0"W
to 27<sup>2</sup>22'18.0"N 082<sup>2</sup>38'08.0"W
and to 27<sup>2</sup>22'18.0"N
082<sup>2</sup>36'22.0"W thence back to beginning. (Side B)
```

11429 18th ed., 03/05/94 LAST LNM 12/97 NAD 83 19/97 Chatham River to Clam Pass (CGD07)

ADD Subm Wr (46 ft Trawler), clearance 5 ft in (PA) 081250'40.0"W	26 ² 05'23.0"N
11451 27 th ed., 02/03/96 LAST LNM 17/97 NAD 83 Miami to Marathon and Florida Bay RELOCATE BiscayneChan Lt "1" from (25 ² 38'41.282"N, 80 ² 8'2.072"W) to and	19/97 (CGD07)
REMOVE PA (Page A)	25 ² 38'41.2"N 080 ² 08'02.4"W
Biscayne Chan Lt "2" from	
(25 ² 38'50.16"N, 80 ² 8'4.133"W) to and	
REMOVE PA (Page A)	25 ² 38'49.6"N 080 ² 08'04.3"W
Biscayne Chan Lt "3" from	
(25 ² 39'4.355"N, 80 ² 8'39.958"W) to and	
REMOVE PA (Page A)	25 ² 39'03.9"N 080 ² 08'39.8"W
Biscayne Chan Daybeacon "4" from	
(25 ² 39'7.118"N, 80 ² 8'37.108"W) to (Page A) 080 ² 08'35.9"W	25²39'01.0"N
Biscayne Chan Lt "6" from	
(25 ² 39'13.874"N, 80 ² 8'58.831"W) to (Page A) 080 ² 08'58.7"W	25²39'13.6"N
Biscayne Chan Daybeacon "7" from	
(25 ² 39'10.16"N, 80 ² 9'6.147"W) to (Page A) 080 ² 09'06.1"W	25²39'10.1"N
Biscayne Chan Daybeacon "8" from	
(25 ² 39'12.976''N, 80 ² 9'9.619''W) to (Page A) 080 ² 09'10.1"W	25²39'12.9"N
Biscayne Chan Daybeacon "10" from	
(25 ² 39'16.13"N, 80 ² 9'34.986"W) to (Page A) 080 ² 09'34.8"W	25²39'16.0"N
Biscayne Chan Daybeacon "12" from	
(25 ² 39'15.965"N, 80 ² 9'57.236"W) to (Page A) 080 ² 09'57.3"W	25²39'15.8"N
Biscayne Chan Daybeacon "14" from	
(25 ² 39'15.921"N, 80 ² 10'14.111"W) to (Page A) 080 ² 10'14.2"W	25²39'15.7"N
Biscayne Chan Lt "15" from	
(25 ² 39'7.029"N, 80 ² 10'27.808"W) to (Page A) 080 ² 10'28.1"W	25 ² 39'07.2"N
Biscayne Chan Daybeacon "16" from	
(25 ² 39'15.427''N, 80 ² 10'29.227''W) to (Page A)	25²39'15.2"N
080 ² 10'29.3"W 11451 RELOCATE BiscayneChan Daybeacon "18" from (Cont.) (25 ² 39'14.806''N, 80 ² 10'49.726''W) to (Reg A) 080 ² 10'49.8"W	25 ² 39'14.4"N

BiscayneChan Daybeacon "19" from (25²39'17.847''N, 80²11'5.404''W) to (Page A)

25239'17.6"N

080211'05.7"W

Biscayne Chan Daybeacon "20" from

(25²39²3.74"N, 80²11⁶.88"W) to (Page A) 25²39²3.4"N

080²11'07.0"W

Biscayne Chan Lt "21" from

(25²39'20.754"N, 80²11'10.496"W) to (Page A) 25²39'20.3"N

080211'10.5"W

Soldier Key Daybeacon "2" from

(25²35'46.445"N, 80²7'33.642"W) to (Page A) 25²35'46.6"N

080207'33.4"W

Fowey Rocks Daybeacon "3" from

(25²35²41.437"N, 80²6²57.1"W) to (Page A) 25²35²41.5"N

080206'57.0"W

Soldier Key Daybeacon "4" from

(25²34'12.692"N, 80²7'57.209"W) to (Page A) 25²34'13.0"N

080207'56.9"W

Angelfish Cr Lt "2" from

(25219'42.301"N, 80215'.567"W) to (Page A & Page B, Inset 3) 25219'42.4"N 080215'00.7"W

Angelfish Cr Daybeacon "1" from

(25²19'41.915"N, 80²15'.186"W) to (Page B, Inset 3) 25²19'41.9"N

080²15'01.5"W

Angelfish Cr Daybeacon "3" from

(25219'43.6"N, 80215'3.300"W) to (Page A & Page B, Inset 3) 25219'44.0"N 080215'03.4"W

Angelfish Cr Daybeacon "3A" from

(25²19'45.358"N, 80²15'4.346"W) to (Page B, Inset 3) 25²19'45.5"N

080²15'04.5"W

Angelfish Cr Daybeacon "4" from

(25²19'53.934"N, 80²15'11.307"W) to (Page B, Inset 3) 25²19'53.9"N

080²15'11.5"W

Angelfish Cr Lt "6" from

(25219'56.904"N, 80215'14.117"W) to (Page A & Page B, Inset 3) 25219'57.0"N 080215'14.3"W

Angelfish Cr Daybeacon "10" from

(25²20'4.652"N, 80²16'13.822"W) to and

REMOVE PA (Side B, Inset 3)

25²20'04.8"N 080²16'13.8"W

Angelfish Cr Daybeacon "12" from

(25²20'6.882"N, 80²16'41.893"W) to (Page A & Page B, Inset 3) 25²20'07.1"N 080²16'41.5"W

Angelfish Cr Lt "14" from

(25²20'9.264"N, 80²16'48.909"W) to (Page A & Page B, Inset 3) 25²20'09.5"N 080²16'48.9"W

Biscayne Bay Lt "45" from

(25 ² 47'48.077''N, 80 ² 10'46.259''W) to (Page 1080 ² 10'45.7"W	D, Inset 1) 25 ² 47'48.1"N
11462 22 nd ed., 04/13/96 LAST LNM 17/97 NAD 83 Fowey Rocks to Alligator Reef	19/97 (CGD07)
RELOCATE Soldier KeyDaybeacon "2" from (25 ² 35'46.445''N, 80 ² 7'33.642''W) to 080 ² 07'33.4"W	25 ² 35'46.6"N
Fowey Rocks Daybeacon "3" from	
(25 ² 35'41.437"N, 80 ² 6'57.1"W) to	25 ² 35'41.5"N 080 ² 06'57.0"W
Soldier Key Daybeacon "4" from	
(25 ² 34'12.692"N, 80 ² 7'57.209"W) to	25 ² 34'13.0"N 080 ² 07'56.9"W
Angelfish Cr Lt "2" from	
(25 ² 19'42.301"N, 80 ² 15'.567"W) to	25 ² 19'42.4"N 080 ² 15'00.7"W
Angelfish Cr Daybeacon "1" from	
(25 ² 19'41.915"N, 80 ² 15'.186"W) to	25 ² 19'41.9"N 080 ² 15'01.5"W
Angelfish Cr Lt "6" from	
(25 ² 19'56.904''N, 80 ² 15'14.117''W) to 080 ² 15'14.3"W	25 ² 19'57.0"N
11463 14 th ed., 11/26/94 LAST LNM 17/97 NAD 83 Sands Key toMatecumbe RELOCATE AngelfishCr Lt "2" from	19/97 (CGD07)
(25 ² 19'42.301''N, 80 ² 15'.567''W) to (Side A)	25²19°42.4"N
080 ² 15'00.7"W Angelfish Cr Daybeacon "1" from	
(25 ² 19'41.915"N, 80 ² 15'.186"W) to and	
REMOVE PA (Side A)	25 ² 19'41.9"N 080 ² 15'01.5"W
Angelfish Cr Daybeacon "3" from	
(25 ² 19'43.6"N, 80 ² 15'3.300"W) to (Side A) 080 ² 15'03.4"W	25²19'44.0"N
Angelfish Cr Daybeacon "3A" from	
(25 ² 19'45.358''N, 80 ² 15'4.346"W) to (Side A) 080 ² 15'04.5"W	25 ² 19'45.5"N
Angelfish Cr Daybeacon "4" from	
(25 ² 19'53.934"N, 80 ² 15'11.307"W) to (Side A) 080 ² 15'11.5"W	25 ² 19'53.9"N
Angelfish Cr Lt "6" from	
(25 ² 19'56.904"N, 80 ² 15'14.117"W) to (Side A) 080 ² 15'14.3"W	25²19'57.0"N

25²20'04.8"N

Angelfish Cr Daybeacon "12" from

Angelfish Cr Daybeacon "10" from

(25²20'4.652"N, 80²16'13.822"W) to (Side A) $080^216'13.8^{\circ}W$

25²20'07.1"N (25²20'6.882"N, 80²16'41.893"W) to (Side A) 080216'41.5"W Angelfish Cr Lt "14" from (25²20'9.264''N, 80²16'48.909''W) to (Side A) 25²20'09.5"N 080216'48.9"W 11465 31st ed., 05/05/96 LAST LNM 14/97 NAD 83 19/97 Miami to Elliot Key (CGD07) RELOCATE BiscayneChan Lt "1" from (2523841.282"N, 80282.072"W) to and REMOVE PA 25238'41.2"N 080208'02.4"W Biscayne Chan Lt "2" from (25²38'50.16"N, 80²8'4.133"W) to and REMOVE PA 25238'49.6"N 080208'04.3"W Biscayne Chan Lt "3" from (25²39'4.355"N, 80²8'39.958"W) to and REMOVE PA 25239'03.9"N 080208'39.8"W Biscayne Chan Daybeacon "4" from (25²39'7.118''N, 80²8'37.108''W) to 25239'01.0"N 080208'35.9"W 11465 RELOCATE BiscayneChan Lt "6" from (25²39'13.874''N, 80²8'58.831''W) to and (Cont.) REMOVE PA 25²39'13.6"N 080²08'58.7"W Biscayne Chan Daybeacon "7" from (25239'10.16"N, 8029'6.147"W) to 25²39'10.1"N 080²09'06.1"W Biscayne Chan Daybeacon "8" from (25²39'12.976"N, 80²9'9.619"W) to 25²39'12.9"N 080²09'10.1"W Biscayne Chan Daybeacon "10" from (25²39'16.13"N, 80²9'34.986"W) to 25²39'16.0"N 080²09'34.8"W Biscayne Chan Daybeacon "12" from (25²39'15.965"N, 80²9'57.236"W) to 25²39'15.8"N 080²09'57.3"W Biscayne Chan Daybeacon "14" from 25239'15.7"N 080210'14.2"W (25239'15.921"N, 80210'14.111"W) to Biscayne Chan Lt "15" from (252397.029"N, 8021027.808"W) to 25239'07.2"N 080210'28.1"W Biscayne Chan Daybeacon "16" from (25239'15.427"N, 80210'29.227"W) to 25²39'15.2"N 080²10'29.3"W Biscayne Chan Daybeacon "18" from (25²39'14.806"N, 80²10'49.726"W) to 25239'14.4"N 080210'49.8"W Biscayne Chan Daybeacon "19" from (25²39'17.847"N, 80²11'5.404"W) to 25239'17.6"N 080211'05.7"W

Biscayne Chan Daybeacon "20" from

(25239'23.74"N, 80211'6.88"W) to and

REMOVE PA 25²39'23.4"N 080²11'07.0"W

Biscayne Chan Lt "21" from

(25²39²20.754"N, 80²11'10.496"W) to 25²39²20.3"N 080²11'10.5"W

Soldier Key Daybeacon "2" from

(25²35'46.445"N, 80²7'33.642"W) to 25²35'46.6"N 080²07'33.4"W

Fowey Rocks Daybeacon "3" from

(25²35¹41.437¹N, 80²6¹57.1¹W) to 25²35¹41.5²N

080206'57.0"W

11466 32nd ed., 11/16/96 LAST LNM 17/97 NAD 83 19/97 Jupiter Inlet tcFowey Rocks (CGD07)

Jupiter Inlet toFowey Rocks
RELOCATE Pt EvergladesLt "4" from

(26²5'40.783''N, 80²6'8.96''W) to 26²05'40.9"N

080206'08.5"W

Pt Everglades Lt "5" from

(26²5'33.395"N, 80²6'8.907"W) to 26²05'33.4"N 080²06'08.3"W

Biscayne Chan Lt "1" from

(2523841.282"N, 80282.072"W) to and

REMOVE PA 25°238'41.2"N 080°208'02.4"W

Biscayne Chan Lt "2" from

(2523850.16"N, 80284.133"W) to and

REMOVE PA 25°238'49.6"N 080°208'04.3"W

Biscayne Chan Lt "3" from

(252394.355"N, 802839.958"W) to and

REMOVE PA 25²39'03.9"N 080²08'39.8"W

Biscayne Chan Daybeacon "4" from

(25²39'7.118"N, 80²8'37.108"W) to and

REMOVE PA 25²39'01.0"N 080²08'35.9"W

Biscayne Chan Lt "6" from

(25²39'13.874"N, 80²8'58.831"W) to 25²39'13.6"N 080²08'58.7"W

Biscayne Chan Daybeacon "7" from

(25²39'10.16"N, 80²9'6.147"W) to 25²39'10.1"N 080²09'06.1"W

Biscayne Chan Daybeacon "8" from

(25²39'12.976"N, 80²9'9.619"W) to 25²39'12.9"N 080²09'10.1"W

Biscayne Chan Daybeacon "10" from

(25²39'16.13"N, 80²9'34.986"W) to 25²39'16.0"N 080²09'34.8"W

Biscayne Chan Daybeacon "12" from

(25²39'15.965''N, 80²9'57.236''W) to 25²39'15.8"N 080²09'57.3"W

Biscayne Chan Daybeacon "14" from

(25 ² 39'15.921"N, 80 ² 10'14.111"W) to	25 ² 39'15.7"N 080 ² 10'14.2"W
Biscayne Chan Lt "15" from (25 ² 39'7.029"N, 80 ² 10'27.808"W) to	25 ² 39'07.2"N 080 ² 10'28.1"W
Biscayne Chan Daybeacon "16" from	
(25 ² 39'15.427"N, 80 ² 10'29.227"W) to	25 ² 39'15.2"N 080 ² 10'29.3"W
Biscayne Chan Daybeacon "18" from	
(25 ² 39'14.806"N, 80 ² 10'49.726"W) to	25 ² 39'14.4"N 080 ² 10'49.8"W
Biscayne Chan Daybeacon "19" from	
(25 ² 39'17.847"N, 80 ² 11'5.404"W) to	25 ² 39'17.6"N 080 ² 11'05.7"W
Biscayne Chan Daybeacon "20" from	
(25 ² 39'23.74"N, 80 ² 11'6.88"W) to	25 ² 39'23.4"N 080 ² 11'07.0"W
Biscayne Chan Lt "21" from	
(25 ² 39'20.754"N, 80 ² 11'10.496"W) to	25 ² 39'20.3"N 080 ² 11'10.5"W
Soldier Key Daybeacon "2" from	
(25 ² 35'46.445"N, 80 ² 7'33.642"W) to	25 ² 35'46.6"N 080 ² 07'33.4"W
Fowey Rocks Daybeacon "3" from	
(25 ² 35'41.437''N, 80 ² 6'57.1''W) to 080 ² 06'57.0"W	25 ² 35'41.5"N
11467 33 rd ed., 12/14/96 LAST LNM 18/97 NAD 83 West Palm Beach to Miami RELOCATE Pt EvergladesLt "4" from (26 ² 5'40.783''N, 80 ² 6'8.96''W) to (Side A)	19/97 (CGD07) 26 ² 05'40.9"N
080 ² 06'08.5"W Pt Everglades Lt "5" from	20 03 40.7 1
(26 ² 5'33.395"N, 80 ² 6'8.907"W) to (Side A) 080 ² 06'08.3"W	26 ² 05'33.4"N
Pt Everglades Lt "6" from	
(26 ² 5'39.978''N, 80 ² 6'32.406''W) to (Side A)	26²05'40.5"N
080 ² 06'31.6"W 11467 RELOCATE Pt EvergladesLt "7" from (Cont.) (26 ² 5'33.886''N, 80 ² 6'32.23''W) to (Side A) 080 ² 06'34.8"W	26²05'31.1"N
Pt EvergladesLt "9" from (2625'33.534"N, 8026'41.059"W) to (Side A) 080206'43.7"W	26²05'33.6"N
Pt Everglades Turning Basin Lt "11" from	
(26 ² 5'26.514"N, 80 ² 6'49.729"W) to (Side A) 080 ² 06'49.4"W	26 ² 05'26.6"N
Pt Everglades Turning Basin Lt "12" from	
(26 ² 5'40.442"N, 80 ² 6'57.495"W) to (Side A) 080 ² 06'57.2"W	26 ² 05'40.3"N
Biscayne Chan Lt "1" from	
(25 ² 38'41.282"N, 80 ² 8'2.072"W) to and	

REMOVE PA (Side B)	25 ² 38'41.2"N 080 ² 08'02.4"W
Biscayne Chan Lt "2" from	
(25 ² 38'50.16"N, 80 ² 8'4.133"W) to and	
REMOVE PA (Side B)	25 ² 38'49.6"N 080 ² 08'04.3"W
Biscayne Chan Lt "3" from	
(25 ² 39'4.355"N, 80 ² 8'39.958"W) to (Side B) 080 ² 08'39.8"W	25 ² 39'03.9"N
Biscayne Chan Daybeacon "4" from	
(25 ² 39'7.118"N, 80 ² 8'37.108"W) to (Side B) 080 ² 08'35.9"W	25 ² 39'01.0"N
Biscayne Chan Lt "5" from	
(25 ² 39'13.874"N, 80 ² 8'58.831"W) to (Side B) 080 ² 08'58.7"W	25 ² 39'13.6"N
Biscayne Chan Daybeacon "7" from	
(25 ² 39'10.16"N, 80 ² 9'6.147"W) to (Side B) 080 ² 09'06.1"W	25²39'10.1"N
Biscayne Chan Daybeacon "8" from	
(25 ² 39'12.976''N, 80 ² 9'9.619''W) to (Side B) 080 ² 09'10.1"W	25 ² 39'12.9"N
Biscayne Chan Daybeacon "10" from	
(25 ² 39'16.13"N, 80 ² 9'34.986"W) to (Side B) 080 ² 09'34.8"W	25 ² 39'16.0"N
Biscayne Chan Daybeacon "12" from	
(25 ² 39'15.965"N, 80 ² 9'57.236"W) to (Side B) 080 ² 09'57.3"W	25 ² 39 ² 15.8 ² N
Biscayne Chan Daybeacon "14" from	
(25 ² 39'15.921"N, 80 ² 10'14.111"W) to (Side B) 080 ² 10'14.2"W	25 ² 39 ¹ 5.7"N
Biscayne Chan Lt "15" from	
(25 ² 39'7.029"N, 80 ² 10'27.808"W) to (Side B) 080 ² 10'28.1"W	25 ² 39'07.2"N
Biscayne Chan Daybeacon "16" from	
(25 ² 39'15.427"N, 80 ² 10'29.227"W) to (Side B) 080 ² 10'29.3"W	25 ² 39'15.2"N
Biscayne Chan Daybeacon "18" from	
(25 ² 39'14.806"N, 80 ² 10'49.726"W) to (Side B) 080 ² 10'49.8"W	25 ² 39'14.4"N
Biscayne Chan Daybeacon "19" from	
(25 ² 39'17.847"N, 80 ² 11'5.404"W) to (Side B) 080 ² 11'05.7"W	25²39°17.6"N

Biscayne Chan Lt "21" from

(25 ² 39'20.754"N, 80 ² 11'10.496"W) to (Side B)	25²39'20.3"N
080 ² 11'10.5"W	
Biscayne Bay Lt "45" from (25 ² 47'48.077"N, 80 ² 10'46.259"W) to (Side B)	25²47'48.1"N
080 ² 10'45.7"W	20 47 40.1 IV
Biscayne Bay Daybeacon "27" from	
(25 ² 50'35.965"N, 80 ² 10'16.506"W) to (Side B) 080 ² 10'16.1"W	25 ² 50'35.7"N
Biscayne Bay Daybeacon "12" from	
(25 ² 53'34.99''N, 80 ² 8'17.821''W) to (Side B, Inset 2) 080 ² 08'18.9"W	25 ² 53'35.0"N
11468 33 rd ed., 05/04/96 LAST LNM 14/97 NAD 83	19/97
Miami Harbor RELOCATE Biscayne BayLt "45" from	(CGD07)
(25 ² 47'48.077''N, 80 ² 10'46.259''W) to	25 ² 47'48.1"N
080 ² 10'45.7"W	
11470 31 st ed., 11/23/96 LAST LNM 18/97 NAD 83 Ft. Lauderdale to Port Everglades	19/97 (CGD07)
RELOCATE Pt EvergladesLt "4" from	,
(26 ² 5'40.783''N, 80 ² 6'8.96''W) to 080 ² 06'08.5"W	26 ² 05'40.9"N
Pt Everglades Lt "5" from	
(26 ² 5'33.395"N, 80 ² 6'8.907"W) to	26 ² 05'33.4"N 080 ² 06'08.3"W
Pt Everglades Lt "6" from	
(26 ² 5'39.978"N, 80 ² 6'32.406"W) to	26 ² 05'40.5"N 080 ² 06'31.6"W
Pt Everglades Lt "7" from	
(26 ² 5'33.886"N, 80 ² 6'32.233"W) to	26 ² 05'31.1"N 080 ² 06'34.8"W
Pt Everglades Lt "9" from	
(26 ² 5'33.534"N, 80 ² 6'41.059"W) to	26 ² 05'33.6"N 080 ² 06'43.7"W
Pt Everglades Turning Basin Lt "11" from	
(26 ² 5'26.514''N, 80 ² 6'49.729''W) to	26 ² 05'26.6"N 080 ² 06'49.4"W
Pt Everglades Turning Basin Lt "12" from	
(26 ² 5'40.442''N, 80 ² 6'57.495''W) to 080 ² 06'57.2"W	26 ² 05'40.3"N
11477 6 th ed., 02/20/97 NEW EDITION NAD 83 11AHA11477 (TEMP) Port Canaveral and Approaches New Edition	19/97 (NIMA)
(CGD07) 46/96 ADD CavaveralHbr Entr Chan Lt "12", Fl R 4s, 16 ft, 3M in Currently TRLB "12" in (28²24'38.7"N 080²34'59.0"W)	
(Aidinadvertantly DISCON LNM 35/95)	28 ² 24'37.5"N
080 ² 34'58.1"W (CGD07) 49/96	
ADD CanaveralHbr SJty Lt, Q, 10 ft in 080 ² 35'13.4"W	28 ² 24'24.3"N
080°53 13.4 W (CGD07) 09/97	

DELETE CanaveralHbr Entr Chan Lt "14" from (Due to dredging)	28 ² 24'37.4"N 080 ² 35'09.9"W
(CGD07) 18/97 ADD CanaveralHbr Entr Chan Buoy "14", R nun in 080²35'10.6"W	28²24'37.8''N
(Previously Temp Deleted 09/97)	
11477 6 th ed., 02/20/97 NEW EDITION NAD 83 11AHA11477 Port Canaveral and Approaches New Edition	19/97 (NIMA)
11489 30 th ed., 01/20/96 LAST LNM 18/97 NAD 83 St. Simons Island Sound Tolomato River CHANGE St. SimonsSnd Entr LB "11" to - LB "13" in 081 ² 21'37.9"W (Previously Temp Relocated 07/97)	19/97 (CGD07) 31 ² 06'52.5"N
St. Simons Snd Entr LB "12" to - LB "14" in 081 ² 21'34.2"W	31 ² 06'57.2"N
St. Simons Snd Entr Lighted Bell Buoy "13" to	
 Lighted Bell Buoy "15" in 081²22'33.1"W 	31 ² 07'23.8"N
St. Simons Snd Entr LB "14" to - LB "16" in 081°22'20.2"W	31207'24.0"N
11502 26 th ed., 07/06/96 LAST LNM 16/97 NAD 83 Doboy Sound toFernandina CHANGE Mackay RiverLt "245" to 16 ft and RELOCATE from	19/97 (CGD07)
(31 ² 9'25.38''N, 81 ² 25'48.36''W) to 081 ² 25'51.1"W	31209'30.3"N
St. Simons Snd Entr LB "6" to - LB "8" in 081 ² 19'14.7"W	31 ² 05'37.2"N
(Previously Temp Deleted 07/97)	
St. Simons Snd Entr LB "8" to - LB "10" in 081 ² 20'01.3"W	31²06'03.7"N
St. Simons Snd Entr LB "10" to - LB "12" in 081 ² 20'48.0"W	31 ² 06'30.1"N
St. Simons Snd Entr LB "11" to - LB "13" in 081 ² 21'37.9"W	31 ² 06'52.5"N
(Previously Temp Relocated 07/97, Reset on Station)	
St. Simons Snd Entr LB "12" to - LB "14" in 081 ² 21'34.2"W	31 ² 06'57.2"N
St. Simons Snd Entr Lighted Bell Buoy "13" to	
 Lighted Bell Buoy "15" in 081²22'33.1"W (Previously Temp Relocated 07/97, Reset on Station) 	31 ² 07'23.8"N
St. Simons Snd Entr LB "14" to - LB "16" in 081 ² 22'20.2"W	31207'24.0"N
11506 37 th ed., 05/04/96 LAST LNM 16/97 NAD 83 St. Simons - Brunswick Harbor and Turtle Bay CHANGE Mackay RiverLt "245" to 16 ft and RELOCATE from	19/97 (CGD07)

001205	(31 ² 9'25.38''N, 81 ² 25'48.36''W) to	31209'30.3"N
081225	St. Simons Snd Entr LB "6" to - LB "8" in	31 ² 05'37.2"N
081 ² 19'	14.7"W reviously Temp Deleted 07/97)	
081220	St. Simons Snd Entr LB "8" to - LB "10" in	31 ² 06'03.7"N
	St. Simons Snd Entr LB "10" to - LB "12" in	31206'30.1"N
081220	St. Simons Snd Entr LB "11" to - LB "13" in	31206'52.5"N
081 ² 21' (Pi	reviously Temp Relocated 07/97, Reset on Station)	
	nons Snd Entr LB "12" to - LB "14" in '34.2"W	31 ² 06'57.2"N
St.	Simons Snd Entr Lighted Bell Buoy "13" to	
•	Lighted Bell Buoy "15" in 081²22'33.1"W	31 ² 07'23.8"N
	(Previously Temp Relocated 07/97, Reset on Station)	
081222	St. Simons Snd Entr LB "14" to - LB "16" in 20.2"W	31 ² 07'24.0"N
11507 RE	28 th ed., 08/03/96 LAST LNM 18/97 NAD 83 SC - GA BeaufortRiv - St.Simons Sound CHANGE Mackay RiverLt "245" to 16 ft and ELOCATE from	19/97 (CGD07)
081 ² 25'	(31 ² 9'25.38''N, 81 ² 25'48.36''W) to	31 ² 09'30.3"N
061-23	51.1 W	
11517	15 th ed., 12/24/94 LAST LNM 18/97 NAD 83 St. Helena Sound (NOS SILVER SPRING) (CHANGE) note SWING BRIDGE, HOR CL 64 FT, VERT CL 9 FT	19/97 L-1330/96)
	to: FIXED BIRDGE, HOR CL 80 FT, VERT CL 2	20 FT 32 ² 36'54.0"N
	00020045 0011	

to: FIXED BIRDGE, HOR CL 80 FT, VERT CL 20 FT 32²36'54.0"N 080²28'45.0"W (Supersedes LNM 51/96)

11534 28th ed., 06/11/94 LAST LNM 18/97 NAD 83 19/97
(TEMP) Myrtle Grove Sound to Fear River to Casino Creek (CGD07)
DELETE Little RiverInl Daybeacon "20" from (Side A) 33251'54.2"N
078234'26.1"W

V. NEW ADVANCE NOTICE

None.

VI. NEW PROPOSED CHANGES

None.

VII. NEW GENERAL INFORMATION

A. NEW BRIDGE INFORMATION

FLORIDA-CANAVERAL HARBOR-CANAVERAL BARGE CANAL: Temporary Bridge Closure.

Single leaf operations continue on the new double leaf bascule drawbridge on State Road 3, (Christa McAuliffe) bridge, mile 1.0 on Merritt Island, Brevard County, Florida. Single leaf operations will begin at 1:30 p.m. and two leaf operation will resume at 5:30 a.m., continuing through May 16, 1997. During this time the bridge will adhere to a single leaf operation mode to allow pleasure craft through the barge canal.

Chart: 11478 CG File: 2941

FLORIDA-INTRACOASTAL WATERWAY-LAKE WORTH INLET-HILLSBORO INLET: Temporary Regulation Change.

To facilitate repairs and painting operations on the Palmetto Park Road Double Leaf Bascule Bridge across the Atlantic Intracoastal Waterway, mile 1047.5 at Boca Raton, Palm Beach County, it will be necessary to place the bridge in single leaf operation beginning Tuesday, June 30, 1997, at 6:00 p.m. A double leaf opening will be provided when 30 minute advance notice has been given to the bridgetender. The bridge offers a 20 foot vertical clearance in the closed position above Mean High Water and a horizontal clearance of 91 feet, normal to the axis of the channel between fenders.

The Coast Guard is seeking comments regarding the above temporary regulation change and the effect it would have on navigation. Comments should be sent to arrive to the address on the cover of this notice and should be mailed to arrive not later than May 23, 1997. If you're unable to respond in writing by that date, you can comment by calling Ms. Evelyn Smart at (305) 536-6546.

Chart: 11478 CG File: 2941

FLORIDA-INTRACOASTAL WATERWAY-LAKE WORTH INLET-HILLSBORO INLET: Bridge Closure.

The Coast Guard has authorized temporary closure times for the following bridges across the Atlantic Intracoastal Waterway, N.E. 8th Street Bridge, mile 1038.7, Atlantic Avenue Bridge, mile 1039.6, Linton Boulevard, mile 1041, at Delray Beach, Palm Beach County, Florida. The City of Delray Beach will be celebrating their annual Fourth of July Fireworks event and these three bridges will be closed between 9:00 p.m. and 10:30 p.m.

If this closure will severely impact movement of your vessel(s), on July 4, 1997, at the above time, please respond in writing to the address on the cover of this notice not later than June 23, 1997, or call Ms. Evelyn Smart at (305) 536-6546.

Chart: 11467 CG File: 2854/2221/3279

FLORIDA-OKEECHOBEE WATERWAY-STUART TO LAKE OKEECHOBEE: Temporary Regulation Change.

The existing Evans Carry Drawbridge across the Okeechobee Waterway, mile 3.5 at Stuart, Martin County, Florida, will be undergoing structural repairs beginning may 19, 1997 to May 22, 1997. To facilitate repairs it will be necessary to place the bridge in single leaf operation during the hours of 9:00 a.m. to 4:00 p.m. A double leaf opening will be provided with 30-minutes advance notice has been given to the bridgetender. The bridge offers a 21.7 foot vertical clearance above mean high water in the closed position and a horizontal clearance of 90 feet, normal to the axis of the channel between fenders.

Chart: 11428 CG File: 2893

FLORIDA-INTRACOASTAL WATERWAY-TAMPA BAY-PORT RICHEY: Bridge Closure.

Pinellas County has requested permission to maintain the Dunedin Causeway Drawbridge, mile 142 on Curlew Road in the closed position for a footrace from 11:30 p.m. July 03, until 1:30 a.m. July 04, 1997. The bridge has a closed vertical clearance of 24 feet at center span.

Comments on this proposal are being solicited from interested parties until June 02, 1997. They should be sent to the address on the cover of this notice. If you are unable to write, you may comment by calling Mr. Walt Paskowsky at (305) 536-4103.

B. MISCELLANEOUS INFORMATION

GEORGIA-ST. ANDREW SOUND AND SATILLA RIVER-ST. ANDREW SOUND: Shoaling.

Shoaling exists between St. Andrew Sound Buoy 5 (LLNR 5760) and - Buoy 7 (LLNR 5765).

Ref: BNM 263-97-MAY Chart: 11504

SOUTH CAROLINA-INTRACOASTAL WATERWAY-CASINO CREEK TO BEAUFORT RIVER-BEAUFORT RIVER: Pyrotechnic Demonstration.

The Swamp Fox Power Squadron will be conducting a pyrotechnic training demonstration at Port Royal Landing Marina between 7:00 p.m. and 9:30 p.m. on May 24, 1997. Various types of visual distress signals will be launched during this period from vessels participating in the training near the marina.

Chart: 11518

VIII. LIGHT LIST CORRECTIONS

(1) No.	(2) (3) Name and LocationPosition Characte	(4) eristic	(5) Ht	(6) Rng	(7) Structure	(8) e Remarks
5420	- Entrance Lighted Bell Buoy 3 (19-97)	Fl G 2.5	S	3	Green.	
5425 •	- Entrance Lighted Buoy 4 (19-97)		FI R 2.	5s		4 Red.
5430 •	- Entrance Lighted Buoy 5 (19-97)		FI G 4s	•	4	Green.
5435 •	- Entrance Lighted Buoy 6 (19-97)		FIR 4s		3	Red.
5440	- Entrance Lighted Bell Buoy 7 (19-97)	Fl G 2.5	S	3	Green.	
(1) No.	(2) (3) Name and LocationPosition Characte	(4) eristic	(5) Ht	(6) Rng	(7) Structure	(8) e Remarks
5445	- Entrance Lighted Buoy 8 (19-97)	Fl R 4s		3	Red.	

5450 •	- Entrance Lighted Buo (19-97)	y 9		FI G 4s	3	4	Green.	
5455 •	- Entrance Lighted Buo (19-97)	y 10		FIR 4s	3	3	Red.	
5460	- Entrance Lighted Bell Buoy 11		Fl G 4s		4	Green. (19-97)		
5465 •	- Entrance Lighted Buoy 12 (19-97)		Fl R 4s		3	Red.		
5470 •	- Entrance Lighted Buo (19-97)	y 13		FI G 2.	5s		3	Green.
5475 •	- Entrance Lighted Buo (19-97)	y 14		FI R 2.	5s		3	Red.
5480	- Entrance Lighted Bell Buoy 15 (19-97)		QG		3	Green.		
5485 •	- Entrance Lighted Buo (19-97)	y 16		QR		3	Red.	
33590	- LIGHT 245	Fl G 4s	16	4	SG-SY	on dolphir (19-97)	1.	

IX. ADDITIONAL ENCLOSURES

Enclosure (1) Change 14 to U.S. Coast Pilot 5, Atlantic Coast: Gulf of Mexico, Puerto Rico, and Virgin Islands 1996 (26th Edition).

Enclosure (2) Change 05 to U.S. Coast Pilot 4, Atlantic Coast: Cape Henry to Key West, 1996 (31 st Edition).

John W. Lockwood
Rear Admiral, U.S. Coast Guard
Commander, Seventh Coast Guard District 2
Page # of 09
LNM 19-97
Seventh Coast Guard District
May 06, 1997